

भारत सरकार
स्वास्थ्य एवं परिवार कल्याण मंत्रालय
(स्वास्थ्य सेवा महानिदेशालय)
केन्द्रीय औषध मानक नियंत्रण संगठन
केन्द्रीय औषधि परीक्षण प्रयोगशाला
क्षेत्रीय अन्न व औषध प्रशासन भवन, जी.एम.एस.डी कंपाउंड,
बेलासीस रोड, मुंबई सेन्ट्रल, मुंबई - 400008.
दूरभाष : 022-23002309 /022-23002138.
फैक्स : 022-23099240.
ईमेल - : cdtlmumbai@cdsco.nic.in



CDSCO



Government of India
Ministry of Health and Family Welfare
(Directorate General of Health Services)
Central Drugs Standard Control Organisation

Central Drugs Testing Laboratory
Zonal FDA Bhawan, GMSD Compound,
Bellasis Road, Mumbai Central, Mumbai - 400008.
Tel : 022-23002309 /022-23002138.
Fax : 022-23099240.
Email : cdtlmumbai@cdsco.nic.in

No. 1(31)/CDTL-MUM/25-26/1629

Date: 5/9/25

Notice Inviting Quotation

The Director, Central Drugs Testing Laboratory, Mumbai invites quotation from service provider for Refilling of Fire Extinguisher Cylinder at Central Drugs Testing Laboratory, Mumbai.

For detailed notice, please visit <https://www.cdsco.gov.in>

The detailed terms and condition for Refilling of Fire Extinguisher Cylinder as details given below is available on the above website :

Sr. No.	Description (Types and KG of Cylinders)	No. of Cylinder /Qty
1	Refilling of Fire Extinguisher 2 KG ABC Type	16 Nos.
2	Refilling of Fire Extinguisher 4 KG ABC Type	1 No.
3	Refilling of Fire Extinguisher 4.5 KG CO2 Type	16 Nos.
4	Refilling of Fire Extinguisher 5 KG ABC Type	8 Nos.
5	Refilling of Fire Extinguisher 5 KG DCP Type	5 Nos.
6	Refilling of Fire Extinguisher 9 KG Water CO2 Type	13 Nos.
7	Refilling of Fire Extinguisher 9 KG Soda Acid Foam Type	2 Nos.
8	Refilling of Fire Extinguisher 10 KG M Foam Type	1 No.
	Total	62 Nos

Sealed quotation, accepting the stipulated terms and condition should be sent by post as to reach the Office of The Director, Central Drugs Testing Laboratory, GMSD Compound, Bellasis Road, Mumbai Central, Mumbai - 400 008 by 30/09/2025 upto 3:00 PM or dropped in the tender box on any working day between 11:00 AM to 3:00 PM upto 30/09/2025. The tenders/quotations will be opened on 30/09/2025 at 3.30 pm in presence of interested tenderer or their authorised representative if any.



Smt. S. U. Warde,
SSO/DDO,
Central Drugs Testing Laboratory,
Mumbai.

भारत सरकार
स्वास्थ्य एवं परिवार कल्याण मंत्रालय
(स्वास्थ्य सेवा महानिदेशालय)

केन्द्रीय औषध मानक नियंत्रण संगठन
केन्द्रीय औषधि परीक्षण प्रयोगशाला
क्षेत्रीय अन्न व औषध प्रशासन भवन, जी.एम.एस.डी कंपाउंड,
बेलासीस रोड, मुंबई सेन्ट्रल, मुंबई - 400008.
दूरभाष : 022-23002309 /022-23002138.
फैक्स : 022-23099240.

ईमेल - : cdtlmumbai@cdsco.nic.in



CDSCO



Government of India
Ministry of Health and Family Welfare
(Directorate General of Health Services)
Central Drugs Standard Control Organisation

Central Drugs Testing Laboratory
Zonal FDA Bhawan, GMSD Compound,
Bellasis Road, Mumbai Central, Mumbai - 400008.
Tel : 022-23002309 /022-23002138.
Fax : 022-23099240.

Email : cdtlmumbai@cdsco.nic.in

No. 1(31)/CDTL-MUM/25-26/ 16 29

Date: 5/9/25

NOTICE INVITING QUOTATION

Quotation is hereby invited from service provider for Service of Refilling of Fire Extinguisher Cylinder at Central Drugs Testing Laboratory, Mumbai under the following description, terms and conditions:

Sr. No.	Description (Types and KG of Cylinders)	No. of Cylinder /Qty.
1	Refilling of Fire Extinguisher 2 KG ABC Type	16 Nos.
2	Refilling of Fire Extinguisher 4 KG ABC Type	1 No.
3	Refilling of Fire Extinguisher 4.5 KG CO2 Type	16 Nos.
4	Refilling of Fire Extinguisher 5 KG ABC Type	8 Nos.
5	Refilling of Fire Extinguisher 5 KG DCP Type	5 Nos.
6	Refilling of Fire Extinguisher 9 KG Water CO2 Type	13 Nos.
7	Refilling of Fire Extinguisher 9 KG Soda Acid Foam Type	2 Nos.
8	Refilling of Fire Extinguisher 10 KG M Foam Type	1 No.
	Total	62 Nos

Terms & Conditions :

1. Quotations may be submitted in sealed cover. Open quotation/ tender will be summarily rejected.
2. The quotation shall be valid for a period of 90 (Ninety) days from the date of opening of the tender/ quotation.
3. Service charges, discount, freight, transportation, loading and unloading etc, and GST or any other taxes may be added and shown separately on the rates quoted for 'Refilling of Fire Extinguisher Cylinder
4. The tenderer should clearly quote their rates for both in figure and in words in net price (including any other taxes/ discounts etc.) failing which your quotation will not be entertained. Any overwriting in rates or any change or alteration without attestation is liable to eliminate in the outright rejection of the quotation. In case there is any error between the amount specified in figures and words, the lower of the two will be taken for consideration.

(P.T.O)

(Cont./-)

5. While submitting the Tenders, the tendering firm should enclose the copy of PAN/ TAN/ GSTIN as proof.
6. The quotation received after due date & time or incomplete in any respect shall be summarily rejected.
7. On successful completion of service to Central Drugs Testing Laboratory, Mumbai, the tenderer/ service provider should submit bill in duplicate along with mandate form to release e-payment through The Pay and Account Office, Ministry of Health and Family Welfare, Mumbai.
8. No advance payment will be made at any circumstances. Payment will be released after satisfactory service.
9. The Director, Central Drugs Testing Laboratory, Mumbai reserves the right to reject the quotation or work order at any stage without assigning any reason thereof.

Smt. S. U. Warde
5.9.25

Smt. S. U. Warde,
SSO/DDO,
Central Drugs Testing Laboratory,
Mumbai.