

भारत सरकार

स्वास्थ्य एवंपरिवार कल्याण मंत्रालय
(स्वास्थ्यसेवा महानिदेशालय)
केन्द्रीय औषध मानक नियंत्रण संगठन
केन्द्रीय औषधि परीक्षण प्रयोगशाला

क्षेत्रीयजनवऔषध प्रशासनभवन, जी.एम.एस.डीकंपाउंड,
बेलासीसरोड, मुंबईसेन्ट्रल, मुंबई४००००८
दूरभाष : ०२२-२३००२३०९ / ०२२-२३०० २१३८
फैक्स : ०२२-२३०९ ९२४०
ई-मेल : cdtlmumbai@cdsco.nic.in



Government of India

Ministry of Health and Family Welfare
(Directorate General of Health Services)
Central Drugs Standard Control Organisation
Central Drugs Testing Laboratory

Zonal FDA Bhawan, GMSD Compound,
Bellasis Road, Mumbai Central, Mumbai - 400 008.
Tel : 022-2300 2309 / 2300 2138
Fax : 022- 2309 9240
Email : cdtlmumbai@cdsco.nic.in

Accredited By : NABL (ISO/IEC-17025:2005 in Chemical & Biological Testing)

Certified By : IMS (ISO - 9001:2008; ISO - 14001:2004; OHSAS - 18001:2007)

8/CDTL-MUM/17-18/ 5498

Date : 30-01-18

EXTENSION OF DUE DATE FOR TENDERS

The following tenders were uploaded on CDS CO.nic.in website.

- 8(10)/CDTL-MUM/17-18/4982 dt. 02/01/2018 for CAMC of UPS
- 8(5)/CDTL-MUM/17-18/5106 dt 09/01/2018 for CAMC of Ductable Air conditioners
- 8(19)/CDTL-MUM/17-18/5216 dt. 15/01/2018 for CAMC of Toshiba ES 207 Photocopier (Xerox Machine)

The due date of same are extended due to non receipt of tenders till date.

Last date of submission of tenders : 12/02/2018

Date of Opening of Tender in

presence of tenderers if any : 13/02/2018

for Director
CDTL-Mumbai