

भारतसरकार
स्वास्थ्यएवंपरिवारकल्याणमंत्रालय
डी.जी.एच.एस
केंद्रीय औषधि मानक नियंत्रण संगठन
केन्द्रीय औषधि परीक्षण प्रयोगशाला
सीडीएससीओ भवन, जीपीओ स्क्वायर, रेजीडेंसी
क्षेत्र, एबी रोड, इंदौर (एमपी) - 452001



CDSO

Government of India
Ministry of Health & Family Welfare, D.G.H.S,
Central Drugs Standard Control Organization
CENTRAL DRUGS TESTING LABORATORY
CDSCO Bhawan, GPO Square, Residency
Area, AB Road, Indore (MP) - 452001
Tel No. 0731-2991314
Email: cdtl.indore@cdsco.nic.in

F.No. CDTLI/024/2024/1350


Date: 17.12.2025

Notice Inviting Quotation

Sealed Tender Rate Enquiries are invited from interested and bonafide Manufacturers/Authorised Distributors/Retailers for supply of Chemicals of Merck, Sigma, Qualigens, Avantor, SRL, Thermo Fisher Scientific, TCI, Finar, HiMedia, Advent, Rankem, Spectrochem, Gibco as per the required grade, wherever specified in Annexure-A.

For detailed notice, please visit <https://www.cdsco.gov.in>

The detailed terms and condition of quotation for supply of Chemicals is available on the above website. Sealed quotation, accepting the stipulated terms and condition should be sent by post as to reach the Office of the Director in-charge, Central Drugs Testing Laboratory, CDSCO Bhawan, GPO Square, Residency Area, AB Road, Indore (M.P.) - 452 001 by 15.01.2026 up to 03:00 PM or dropped in the tender box on any working day between 11.00 AM to 03:00 PM up to 15.01.2026. The tender/quotations will be opened on 15.01.2026 at 03:30 PM in presence of interested tenderer or their authorised representative if any.


LPC member,
For Director in-charge,
Central Drugs Testing Laboratory,
Indore.

भारतसरकार
स्वास्थ्यएवंपरिवारकल्याणमंत्रालय
डी.जी.एच.एस
केंद्रीय औषधि मानक नियंत्रण संगठन
केंद्रीय औषधि परीक्षण प्रयोगशाला
सीडीएससीओ भवन, जीपीओ स्क्वायर, रेजीडेंसी
क्षेत्र, एबी रोड, इंदौर (एमपी) - 452001



CDSCO

Government of India
Ministry of Health & Family Welfare, D.G.H.S,
Central Drugs Standard Control Organization
CENTRAL DRUGS TESTING LABORATORY
CDSCO Bhawan, GPO Square, Residency
Area, AB Road, Indore (MP) - 452001
Tel No. 0731-2991314
Email: cdtl.indore@cdsco.nic.in

Annexure-A

Sr. No.	Name of the items	Qty.
01.	Pyridine AR	5 x 500 ml
02.	Iso Octane AR	5x 500 ml
03.	Acetone AR	10 x 500 ml
04.	Cetrimide AR	5 x 100 gm
05.	Citric Acid anhydrous AR	5 x 500 gm
06.	Mercuric Iodide Red AR	5 x 25gm
07.	2-Propanol (Analytical Reference Material (With NIST Certificate), Purity: ($\geq 99.0\%$))	1 x 100 ml
08.	1-Propanol (Analytical Reference Material (With NIST Certificate)), Purity: ($\geq 99.0\%$)	1 x 100 ml
09.	Diethylene Glycol Anhydrous (Analytical Reference Material (With NIST Certificate)), Purity: ($\geq 99.0\%$)	1 x 100 ml
10.	Ethylene Glycol Anhydrous (Analytical Reference Material (With NIST Certificate)), Purity: ($\geq 99.0\%$)	1 x 100 ml
11.	Propylene Glycol Anhydrous (Certified Reference Material (With NIST Certificate)), Purity: ($\geq 99.0\%$)	1 x 100 ml
12.	Methanol GC Grade ($\geq 99.0\%$)	20 x 500 ml
13.	Potassium Hydrogen Phthalate Certified Reference Material (With NIST Certificate)	1 x 100 gm
14.	Potassium Dichromate Certified Reference Material (With NIST Certificate)	1 x 100 gm
15.	Potassium Bromate Certified Reference Material (With NIST Certificate)	1 x 100 gm
16.	Arsenic Oxide Certified Reference Material (With NIST Certificate)	1 x 100 gm
17.	Sodium Tartarate Certified Reference Material (With NIST Certificate)	1 x 100 gm
18.	Silver Nitrate AR	5 x 25 gm
19.	Lead Standard Solution (With NIST Certificate)	1 x 100 ml

भारतसरकार
स्वास्थ्यएवंपरिवारकल्याणमंत्रालय
डी.जी.एच.एस
केंद्रीय औषधि मानक नियंत्रण संगठन
केन्द्रीय औषधि परीक्षण प्रयोगशाला
सीडीएससीओ भवन, जीपीओ स्क्वायर, रेजीडेंसी
क्षेत्र, एबी रोड, इंदौर (एमपी) - 452001



CDSCO

Government of India
Ministry of Health & Family Welfare, D.G.H.S,
Central Drugs Standard Control Organization
CENTRAL DRUGS TESTING LABORATORY
CDSCO Bhawan, GPO Square, Residency
Area, AB Road, Indore (MP) - 452001
Tel No. 0731-2991314
Email: cdtl.indore@cdsco.nic.in

20.	Octane Sulphonic Acid AR	10 x 25 gm
21.	Buffer Solution of pH 4.0 , (With NIST Certificate)	1 x 500 ml
22.	Buffer Solution of pH 7.0 , (With NIST Certificate)	1 x 500 ml
23.	Buffer Solution of pH 10.0 , (With NIST Certificate)	1 x 500 ml
24.	Iron Standarad Solution (With NIST Certificate)	1 x 100 ml
25.	Vaccum Grease	3 x 50 gm

भारतसरकार
स्वास्थ्यएवंपरिवारकल्याणमंत्रालय
डी.जी.एच.एस
केंद्रीय औषधि मानक नियंत्रण संगठन
केन्द्रीय औषधि परीक्षण प्रयोगशाला
सीडीएससीओ भवन, जीपीओ स्क्वायर, रेजीडेंसी
क्षेत्र, एबी रोड, इंदौर (एमपी) - 452001




CDSKO

Government of India
Ministry of Health & Family Welfare, D.G.H.S,
Central Drugs Standard Control Organization
CENTRAL DRUGS TESTING LABORATORY
CDSKO Bhawan, GPO Square, Residency
Area, AB Road, Indore (MP) - 452001
Tel No. 0731-2991314
Email: cdtl.indore@cdsco.nic.in

Terms & Conditions :

1. Quotations may be submitted in sealed cover. Open quotation/ tender or received after due date or incomplete in any respect will be summarily rejected.
2. The materials from Merck, Sigma, Qualigens, Avantor, SRL, Thermo Fisher Scientific, TCI, Finar, HIMEDIA, Advent, Rankem, Spectrochem, Gibco will be considered as per the required grade, wherever specified in Annexure-A. However, the grade and manufacturer may be relaxed at the discretion of Purchase Committee in absence of the specific manufacturer and grade mentioned in Annexure-A.
3. The quotation shall be valid for a period of 90 (Ninety) days from the date of opening of the tender/ quotation.
4. Supply charges, discount, freight, transportation, loading and unloading etc, and GST or any other taxes may be added and shown separately on the rates quoted for 'Supply of Chemicals'.
5. The tenderer should clearly quote their rates for both in figure and in words in net price (including any other taxes discounts etc.), failing which quotation will not be entertained. Any overwriting in rates or any change or alteration without attestation is liable to eliminate in the outright rejection of the quotation. In case there is any error between the amount specified in figures and words, the lower of the two will be taken for consideration.
6. The Tenderer/supplier should supply the Chemicals and other items in good condition, recently manufactured & strictly as per specification in the tender within 30 days from the date of issue of purchase order, otherwise the order will be cancelled.
7. Date of manufacturing of chemicals and other items should not be more than one year old.
8. No "Way Bill" in connection with supply of Chemicals will be issued from Central Drugs Testing Laboratory, Indore.
9. Price changes will not be accepted after the quotation is accepted by us, even if the price list of manufacturer is changed.
10. On successful completion of Supply of Chemicals, the tenderer supplier should submit the bill in duplicate along with mandate form to release e-payment through The Pay and Account Office, Ministry of Health and Family Welfare, Mumbai.
11. No Advance payment would be made. Payment will be made only after satisfactory supply.
12. The Director in-charge, Central Drugs Testing Laboratory, Indore reserves the right to reject the quotation or supply order at any stage without assigning any reason thereof.



LPC member,
For Director in-charge,
Central Drugs Testing Laboratory,
Indore.